

TONONE

technical specifications


BOLT bed sidefit

Design by Anton de Groof, 2013




Starting point for the products of Tonone is the passion for traditional mechanics. The first product line that resulted from this fascination is the lamp series 'Bolt'. Key element in this industrial series is the joint construction that can be adjusted with a wingnut-shaped tool. Besides being a functional tool, this wingnut is integrated in the design of the lamp itself as a distinctive visual element. The Bolt collection is available in 29 different models and in 11 colors.

Type	Bed lamp
Environment	Indoor
Material	Steel & aluminum
Wingnut	Wingnut Solid Brass included
Cord length	Bolt with cord 2500 mm Bolt install 10 mm
Weight	1,2 kg
Voltage	220-240 V
Max Watt	60 Watt
Socket	E27
IP	20
Lightsource	Lightsource not included








Packaging	
Weight	2,0 kg
Length	67 cm
Width	20 cm
Height	20 cm



TONONE



technical specifications



		with cord	install	mirror with cord	mirror install
	smokey black	1129	1137	1529	1368
	flux green	1131	1139	1530	1369
	pure white	1133	1141	1531	1371
	midnight grey	1270	1271	1532	1375
	ash grey	1136	1144	1533	1374
	striking orange	1134	1142	1534	1372
	lightning white	1132	1140	1535	1370
	thunder blue	1135	1143	1536	1373
	daybreak rose	1478	1479	1537	1480
	sunny yellow	1436	1437	1538	1438
	ice blue	1623	1626	1624	1627


TONONE

technical specifications



With cord


1. With powercord including switch and plug.



Install

2. With terminal block to install directly on a junction box.

3. With optional wall ring.



SET of 2 bolt bed sidefit

		with cord	install
	smokey black	1560	1570
	flux green	1561	1571
	pure white	1562	1572
	midnight grey	1563	1573
	ash grey	1564	1574
	striking orange	1565	1575
	lightning white	1566	1576
	thunder blue	1567	1577
	daybreak rose	1568	1578
	sunny yellow	1569	1579
	ice blue	1625	1628